



Qt	Ref	TYPE
12	LC.01-12	POSITION OF 4M RAISE AND LOWER LIGHTING COLUMN TO LAOIS COUNTY COUNCIL SPECIFICATION WITH 2.7K POST TOP MOUNTED HIGHWAY DIAMOND 4 LED 400mA M1 LENS MOUNTED AT 0 DEGREES TILT UNLESS OTHERWISE STATED. LANTERNS TO BE CONTROLLED IN LINE WITH LAOIS COUNTY COUNCIL SPECIFICATION.

THE LIGHTING DESIGN HAS BEEN PREPARED IN ACCORDANCE WITH BS5489_2015 TO PROVIDE INDICATIVE COLUMN POSITIONS. FOR TRANSPARENCY AND THE AVOIDANCE OF DOUBT DRAWING no. ASD-IR-SL-2020-2021-029 IS NOT TO BE USED AS A CONSTRUCTION DRAWING. A SITE SURVEY HAS NOT BEEN CARRIED OUT IN ACCORDANCE WITH CDM 2015 AND HEA GUIDELINES. THEREFORE THE RESPONSIBILITIES OF ELIMINATING AND REDUCING RISK WILL NEED TO BE MITIGATED BY A COMPETENT PRINCIPLE DESIGNER.

REV	DESCRIPTION	DATE	BY



TITLE
STREET LIGHTING LAYOUT
TRIOGUE
BLUEWAY

CUSTOMER
PORTLAOISE

SCALE	DATE	06/01/20
1:500	DRAWN	BJS
	CHECKED	MDE

PAPER SIZE	A1	APPROVED	NF
DRAWING NUMBER	ASD-IR-SL-2020-2021-029	REVISION	R0